

CONTENTS  
Number 1, pp. 1-207 ..... 11 December 1980  
Number 2, pp. 209-488 ..... 1 November 1981  
Number 3, pp. 491-750 ..... 11 May 1982

# Notes from the Royal Botanic Garden Edinburgh

VOLUME 39  
1980-82

*EDINBURGH*  
HER MAJESTY'S STATIONERY OFFICE

1983

Publication dates:

Number 1, pp. 1-207..... 11 December 1980

Number 2, pp. 209-486..... 11 May 1982

Notes from the  
Royal Botanic Garden  
Edinburgh

VOLUME 10  
1982

THE ROYAL BOTANIC GARDEN  
EDINBURGH  
1982

# CONTENTS OF VOLUME 39

## 1980-82

Revision of <i>Rhododendron</i> I. Subgenus <i>Rhododendron</i> sections <i>Rhododendron</i> & <i>Pogonanthum</i> . <i>J. Cullen</i> .....	1
Revision of <i>Rhododendron</i> II. Subgenus <i>Hymenantes</i> . <i>D. F.</i> <i>Chamberlain</i> .....	209

## GENERAL INDEX TO VOLUME 39

- Azalea ferruginosa* Pallas, 107  
*fragrans* Adams, 167  
*lapponica* Linnaeus, 107  
*makinoi* (Tagg) Makino, 311  
 var. *muranoana* Makino, 311  
*parvifolia* (Adams) Kuntze, 107
- CHAMBERLAIN, D. F.  
 Revision of *Rhododendron* II. Subgenus  
*Hymenanthes*, 209
- CULLEN, J.  
 Revision of *Rhododendron* I. Subgenus  
*Rhododendron* sections *Rhododendron*  
 & *Pogonanthum*, 1
- Hymenanthes* Blume, 219  
*japonica* Blume, 309
- Osmothamnus* De Candolle, 156  
*fragrans* (Adams) De Candolle, 167  
*pallidus* De Candolle, 167
- Plinthochroma* Dulac, 110
- Revision of *Rhododendron* I. Subgenus  
*Rhododendron* sections *Rhododendron*  
 & *Pogonanthum*, 1
- Revision of *Rhododendron* II. Subgenus  
*Hymenanthes*, 209
- Rhododendron* Linnaeus  
 subg. *Eurhododendron* K. Koch, 22  
 subg. *Eurhododendron* auct. pl., 219  
 subg. *Hymenanthes* (Blume) K. Koch, 219  
 subg. *Keysia* [Nuttall] Hooker, 123  
 subg. *Lepidorrhodium* Koehne, 22  
 subg. *Pseudazalea* Sleumer, 151  
 subg. *Pseudorhodorastrum* Sleumer, 80  
 subg. *Rhododendron*, 22  
 subg. *Rhodorastrum* (Maximowicz) C.B.  
 Clarke, 111  
 sect. *Keysia* (Nuttall) Maximowicz, 123  
 sect. *Lapponica* (Balfour f.) Philipson &  
 Philipson, 92  
 sect. *Leiorrhodium* Rehder, 219  
 sect. *Lepidorrhodium* (Koehne) Rehder,  
 22  
 sect. *Lepiperum* G. Don, 23  
 sect. *Osmothamnus* (De Candolle)  
 Maximowicz, 156  
 sect. *Pogonanthum* G. Don, 156  
 sect. *Ponticum* G. Don, 219  
 sect. *Rhabdorhodion* Sleumer, 129  
 sect. *Rhodobotrys* Sleumer, 80  
 sect. *Rhododendron*, 23  
 sect. *Rhodorastrum* Maximowicz, 111  
 sect. *Setosa* Philipson & Philipson, 92  
 sect. *Trachyrhodium* Sleumer, 80
- subsect. *Arborea* Sleumer, 328  
 subsect. *Afghanica* Cullen, 156  
 subsect. *Argyrophylla* Sleumer, 317  
 subsect. *Auriculata* Sleumer, 240, 374  
 subsect. *Baileya* Sleumer, 150  
 subsect. *Barbata* Sleumer, 283  
 subsect. *Barbata* sensu Sleumer, 379  
 subsect. *Boothia* (Hutchinson) Sleumer,  
 133  
 subsect. *Camelliflora* (Hutchinson)  
 Sleumer, 138  
 subsect. *Campanulata* Sleumer, 368, 371  
 subsect. *Campylocarpa* Sleumer, 262  
 subsect. *Campylogyna* (Hutchinson)  
 Sleumer, 145  
 subsect. *Caroliniana* (Hutchinson)  
 Sleumer, 91  
 subsect. *Cinnabarina* (Hutchinson)  
 Sleumer, 122  
 subsect. *Edgeworthia* (Hutchinson)  
 Sleumer, 25  
 subsect. *Falconera* Sleumer, 251  
 subsect. *Ferruginea* Sleumer, 110  
 subsect. *Floribunda* Sleumer, 317  
 subsect. *Fortunea* Sleumer, 224  
 subsect. *Fragariflora* Cullen, 119  
 subsect. *Fulgensia* Chamberlain, 414  
 subsect. *Fulva* Sleumer, 366  
 subsect. *Genestieriana* (Cowan &  
 Davidian) Sleumer, 146  
 subsect. *Glauca* (Hutchinson) Sleumer,  
 139  
 subsect. *Glischra* (Tagg) Chamberlain,  
 283  
 subsect. *Grandia* Sleumer, 241  
 subsect. *Griersoniana* [Davidian ex]  
 Chamberlain, 374  
 subsect. *Heliolepidia* (Hutchinson)  
 Sleumer, 87  
 subsect. *Irrorata* Sleumer, 290  
 subsect. *Lactea* Sleumer, 333  
 subsect. *Lanata* Chamberlain, 368  
 subsect. *Lapponica* (Balfour f.) Sleumer,  
 92  
 subsect. *Lepidota* (Hutchinson) Sleumer,  
 148  
 subsect. *Maculifera* Sleumer, 267  
 subsect. *Maddenia* (Hutchinson) Sleumer,  
 29  
 subsect. *Martiniana* Sleumer, 274  
 subsect. *Micrantha* (Hutchinson)  
 Sleumer, 132  
 subsect. *Monantha* Cullen, 59  
 subsect. *Moupinensia* Sleumer, 57  
 subsect. *Neriiflora* Sleumer, 384  
 subsect. *Parishia* Sleumer, 375  
 subsect. *Pontica* Sleumer, 305

*Rhododendron* Linnaeus—continued

- subsect. *Rhododendron*, 110  
subsect. *Rhodorastra* (Maximowicz)  
Cullen, 111  
subsect. *Saluenensis* (Hutchinson)  
Sleumer, 114  
subsect. *Scabrifolia* (Hutchinson) Cullen,  
80  
subsect. *Selensia* Sleumer, 274  
subsect. *Souliea* Sleumer, 262  
subsect. *Taliensia* Sleumer, 333  
subsect. *Tephropepla* (Cowan &  
Davidian) Sleumer, 126  
subsect. *Thomsonia* Sleumer, 416  
subsect. *Trichoclada* (Balfour f.) Cullen,  
151  
subsect. *Triflora* (Hutchinson) Sleumer,  
61  
subsect. *Uniflora* (Hutchinson) Sleumer,  
120  
subsect. *Venatora* Chamberlain, 290  
subsect. *Virgata* (Hutchinson) Cullen, 129  
subsect. *Williamsiana* Chamberlain, 260,  
478  
ser. *Anthopogon* sensu auct., 156  
ser. *Auriculatum* sensu Tagg, 240  
ser. *Boothia* sensu Hutchinson, 126, 133  
ser. *Burjatica* Malyshev, 92  
ser. *Camelliaeflorum* sensu Hutchinson,  
138  
ser. *Campanulatum* sensu Tagg, 368, 371  
ser. *Campylogynum* sensu Hutchinson,  
145  
ser. *Carolinianum* sensu Hutchinson, 91  
ser. *Cephalanthum* sensu Hutchinson, 156  
ser. *Cinnabarinum* sensu Hutchinson, 123  
ser. *Dauricum* sensu Hutchinson, 111  
ser. *Edgeworthii* sensu Hutchinson, 25  
ser. *Falconeri* sensu Tagg, 251  
ser. *Ferrugineum* sensu Hutchinson, 110  
ser. *Fortunei* sensu Tagg, 224  
ser. *Fulvum* sensu Tagg, 366  
ser. *Glaucophyllum* Cowan & Davidian,  
139  
ser. *Glaucum* sensu Hutchinson, 139, 146  
ser. *Grande* sensu Tagg, 241  
ser. *Griersonianum* Davidian, 374  
ser. *Heliolepis* sensu Hutchinson, 87  
ser. *Lacteum* sensu Tagg, 333  
ser. *Lapponica* Balfour f. 92  
ser. *Lepidotum* sensu Hutchinson, 120,  
148, 150  
ser. *Maddenii* (Hutchinson) Sleumer, 29  
ser. *Micranthum* (Hutchinson) Sleumer,  
132  
ser. *Moupinensis* Sleumer, 58  
ser. *Neriflorum* sensu Tagg, 384  
ser. *Parvifolia* Busch, 92  
ser. *Ponticum* sensu Tagg, 305  
ser. *Saluenense* sensu Hutchinson, 114  
ser. *Scabrifolium* Hutchinson, 80  
ser. *Taliense* sensu Tagg, 333  
ser. *Trichocladum* Balfour f. 151  
ser. *Triflorum* sensu Hutchinson, 61  
ser. *Uniflorum* sensu Cowan & Davidian,  
120  
ser. *Virgatum* Hutchinson, 129  
subser. *Arboreum* sensu Tagg, 328  
subser. *Argyrophyllum* sensu Tagg, 317  
subser. *Barbatum* sensu Tagg, 379  
subser. *Campylocarpum* sensu Tagg, 262  
subser. *Cerasinum* Cowan & Davidian,  
416  
subser. *Genestierianum* Cowan &  
Davidian, 146  
subser. *Glichrum* Tagg, 283  
subser. *Irroratum* sensu Tagg, 290  
subser. *Maculiferum* sensu Tagg, 267  
subser. *Parishii* sensu Tagg, 375  
subser. *Selense* sensu Tagg, 274  
subser. *Souliei* sensu Tagg, 262  
subser. *Tephropeplum* Cowan &  
Davidian, 126  
subser. *Thomsonii* sensu Tagg, 416  
subser. *Williamsianum* Cowan &  
Davidian, 260  
*aberonwayi* Cowan, 293  
*aberrans* Tagg & Forrest, 354  
*achroanthum* Balfour f. & Smith, 109  
*acraium* Balfour f. & Smith, 165  
*adamisii* Rehder, 167  
*adansonii* Pepin, 315  
*adenogynum* Diels, 340  
*adenophorum* Balfour f. & W. W. Smith, 340  
*adenopodum* Franchet, 318  
*adenostemonum* Balfour f. & W. W. Smith,  
298  
*adenosum* Davidian, 284  
*admirabile* Balfour f. & Forrest, 299  
*adoxum* Balfour f. & Forrest, 230  
*adroserum* Balfour f. & Forrest, 299  
*aechmophyllum* Balfour f. & Forrest, 68  
*aemulorum* Balfour f., 386  
*aeruginosum* Hooker f., 373  
*afghanicum* Aitchison & Hemsley, 156  
*aganniphum* Balfour f. & Kingdon Ward,  
354  
var. *aganniphum*, 356  
var. *flavorufum* (Balfour f. & Forrest)  
Chamberlain, 357  
*agapetum* Balfour f. & Kingdon-Ward,  
377  
*agatum* Balfour f. & W. W. Smith, 301  
*agetum* Balfour f. & Forrest, 409  
*agglutinatum* Balfour f. & Forrest, 352  
*aiolopeplum* Balfour f. & Forrest, 353  
*aiolosalpinx* Balfour f. & Farrer, 426  
*aishropeplum* Balfour f. & Forrest, 344  
*albertsenianum* Forrest, 413  
*albicaule* Léveillé, 234  
*album* Buchanan-Hamilton, 331  
*algarvense* Page, 313

*Rhododendron* Linnaeus—continued

- alpicola* Rehder & Wilson, 106  
var. *strictum* Rehder & Wilson, 106  
*alutaceum* Balfour f. & W. W. Smith, 348  
var. *alutaceum*, 349  
var. *iodes* (Balfour f. & Forrest)  
Chamberlain, 350  
var. *russoinctum* (Balfour f. & Forrest)  
Chamberlain, 350  
*amandum* Cowan, 42  
*amaurophyllum* Balfour f. & Forrest, 117  
*ambiguum* Hemsley, 78  
*amesiae* Rehder & Wilson, 76  
*amphichlorum* Ingram, 170  
*amundsenianum* Handel-Mazzetti, 100  
*anhweiese* Wilson, 273  
*annae* Franchet, 293  
*anthopogon* D. Don, 158  
subsp. *anthopogon*, 159  
subsp. *hypenanthum* (Balfour f.) Cullen,  
160  
var. *haemonium* (Balfour f. & Cooper)  
Cowan & Davidian, 159  
*anthopogonoides* Maximowicz, 164  
*anthosphaerum* Diels, 303  
*aperantum* Balfour f. & Kingdon Ward, 400  
*apiculatum* Rehder & Wilson, 75  
*apodectum* Balfour f. & W. W. Smith, 394  
*araiophyllum* Balfour f. & W. W. Smith, 294  
*araliiforme* Balfour f. & Forrest, 230  
*arborescens* Smith, 328  
subsp. *arborescens*, 329  
subsp. *campbelliae* (Hooker f.) Tagg, 330  
subsp. *cinnamomeum* (Lindley) Tagg, 329  
var. *cinnamomeum*, 330  
var. *roseum* Lindley, 331  
subsp. *delavayi* (Franchet) Chamberlain,  
331  
var. *delavayi*, 331  
var. *peramoenum* (Balfour f. &  
Forrest) Chamberlain, 331  
subsp. *nilagiricum* (Zenker) Tagg, 331  
subsp. *zeylanicum* (Booth) Tagg, 332  
var. *album* Wallich, 331  
*argenteum* Hooker f., 244  
*argipeplum* Balfour f. & Cooper, 381  
*argyrophyllum* Franchet, 325  
subsp. *argyrophyllum*, 325  
subsp. *hypoglaucum* (Hemsley)  
Chamberlain, 325  
subsp. *nankingense* (Cowan)  
Chamberlain, 326  
subsp. *omeiense* (Rehder & Wilson)  
Chamberlain, 325  
var. *cupulare* Rehder & Wilson, 325  
var. *leiandrum* Hutchinson, 326  
var. *nankingense* Cowan, 326  
var. *omeiense* Rehder & Wilson, 325  
*arizelum* Balfour f. & Forrest, 256  
*artosquameum* Balfour f. & Forrest, 71  
*ashleyi* Coker, 316  
*asmenistum* Balfour f. & Forrest, 399  
*asteium* Balfour f. & Forrest, 403  
*asterochmoum* Diels, 229  
*astrocalyx* Balfour f. & Forrest, 265  
*atensiense* Handel-Mazzetti, 48  
*atjehense* Sleumer, 298  
*aucklandii* Hooker f., 237  
*augustinii* Hemsley, 72  
subsp. *augustinii*, 72  
subsp. *chasmanthum* (Diels) Cullen, 73  
subsp. *hardyi* (Davidian) Cullen, 74  
subsp. *rubrum* (Davidian) Cullen, 73  
var. *chasmanthum* (Diels) Davidian, 73  
var. *rubrum* Davidian, 73  
var. *yui* Fang, 72  
f. *grandifolia* Franchet, 73  
f. *subglabra* Franchet, 73  
*aureum* Franchet, 127  
*aureum* Georgi, 313  
var. *aureum*, 313  
var. *hypopitys* (Pojarkova) Chamberlain,  
313  
*auriculatum* Hemsley, 241  
*auritum* Tagg, 128  
*axium* Balfour f. & Forrest, 278  
*baeticum* Boissier & Reuter, 313  
*baileyi* Balfour f., 151  
*bainbridgeanum* Tagg & Forrest, 277  
*balfourianum* Diels, 341  
var. *aganniphoides* Tagg & Forrest, 341  
*barbatum* [Wallich ex] G. Don, 380  
*barkamense* Chamberlain, 363, 478  
*basilicum* Balfour f. & W. W. Smith, 253  
*batangense* Balfour f., 106  
*batemannii* Hooker f., 374  
*bathyphyllum* Balfour f. & Forrest, 348  
*bauhiniflorum* Hutchinson, 78  
*beanianum* Cowan, 386  
var. *compactum* Cowan, 387  
*beesianum* Diels, 365  
*beimaense* Balfour f. & Forrest, 281  
*benthalianum* Hemsley, 75  
*bergii* Davidian, 73  
*bhotanicum* C. B. Clarke, 37  
*bijiangense* T. L. Ming, 410  
*bivelatum* Balfour f., 170  
*blandfordiiflorum* W. J. Hooker, 124  
*blandulum* Balfour f. & W. W. Smith, 280  
*blepharocalyx* Franchet, 96  
*blinii* Léveillé, 79  
*blunei* Nuttall, 430  
*bonvalotii* Bureau & Franchet, 418  
*boothii* Nuttall, 134  
*brachyandrum* Balfour f. & Forrest, 425  
*brachyanthum* Franchet, 144  
subsp. *brachyanthum*, 144  
subsp. *hypolepidotum* (Franchet) Cullen,  
144  
var. *hypolepidotum* Franchet, 144  
*brachycarpum* [D. Don ex] G. Don, 307  
subsp. *brachycarpum*, 307

*Rhododendron* Linnaeus—continued

- subsp. *fauriei* (Franchet) Chamberlain, 307  
subsp. *tigerstedtii* Nitzelius, 307  
var. *lutescens* Koidzumi, 313  
var. *roseiflorum* Miyoshi, 307  
var. *roseum* Koidzumi, 307  
*brachysiphon* Hutchinson, 33  
*bracteatum* Rehder & Wilson, 88  
*brettii* Hemsley & Wilson, 268  
*brevinerve* Chun & Fang, 292  
*brevistylum* Franchet, 90  
*brevitubum* Balfour f. & Cooper non J. J. Smith, 33  
*brunneifolium* Balfour f. & Forrest, 403  
*bullatum* Franchet, 26  
*bulu* Hutchinson, 104  
*bureavii* Franchet, 338  
*burjaticum* Malyshev, 106  
*burrifolium* Balfour f. & Forrest, 287  
*butyricum* Kingdon Ward, 135  
*caeruleo-glaucum* Balfour f. & Forrest, 145  
*caeruleum* Léveillé, 69  
*caesium* Hutchinson, 152  
*calciphilum* Hutchinson & Kingdon Ward, 116  
*californicum* Hooker f., 317  
*callimorphum* Balfour f. & W. W. Smith, 262  
var. *callimorphum*, 263  
var. *myiagram* (Balfour f. & Forrest) Chamberlain, 263  
*calophyllum* Nuttall, 33  
*calophytum* Franchet, 228  
var. *calophytum*, 229  
var. *openshawianum* (Rehder & Wilson) Chamberlain, 229  
*calostroium* Balfour f. & Kingdon Ward, 115  
subsp. *calostroium*, 115  
subsp. *keleticum* (Balfour f. & Forrest) Cullen, 116  
subsp. *riparioides* Cullen, 116  
subsp. *riparium* (Kingdon Ward) Cullen, 116  
var. *calciphilum* (Hutchinson & Kingdon Ward) Davidian, 116  
*caloxanthum* Balfour f. & Farrer, 264  
*calvescens* Balfour f. & Forrest, 275  
var. *calvescens*, 275  
var. *duseimatum* (Balfour f. & Forrest) Chamberlain, 275  
*camelliflorum* Hooker, 138  
*campanulatum* D. Don, 372  
subsp. *aeruginosum* (Hooker f.) Chamberlain, 373  
subsp. *aeruginosum* × *wightii*, 373  
subsp. *campanulatum*, 373  
subsp. *campanulatum* × *wightii*, 373  
var. *aeruginosum* [Hooker f. ex] Cowan & Davidian, 373  
var. *campbellii* Millais, 374  
*campanulatum* × *arborescens*, 373  
*campbelliae* Hooker f., 330  
*campylocarpum* Hooker f., 263  
subsp. *caloxanthum* (Balfour f. & Farrer) Chamberlain, 264  
subsp. *campylocarpum*, 263  
subsp. *telopeum* (Balfour f. & Forrest) Chamberlain, 264  
*campylogynum* Franchet, 145  
var. *celsum* Davidian, 146  
var. *charopoeum* (Balfour f. & Forrest) Davidian, 146  
var. *cremastum* (Balfour f. & Forrest) Davidian, 146  
var. *eupodium* Ingram, 170  
var. *leucanthum* Ingram, 170  
var. *myrtilloides* (Balfour f. & Kingdon Ward) Davidian, 146  
× *candelabrum* Hooker f., 420  
*cantabile* (Balfour f.) ex Hutchinson, 108  
*capitatum* Maximowicz, 107  
*capitatum* sensu Franchet, 100  
*cardiobasis* Sleumer, 238  
*cardoeoides* Balfour f. & Forrest, 71  
*carneum* Hutchinson, 55  
*carolinianum* Rehder, 92  
*catacosmum* [Balfour f. ex] Tagg, 389  
*catapastum* Balfour f. & Forrest, 90  
*catawbiense* Michaux, 316  
*caucasicum* Pallas, 312  
var. *stramineum* J. Hooker, 312  
*cephalanthoides* Balfour f. & Smith, 165  
*cephalanthum* Franchet, 161  
subsp. *cephalanthum*, 162  
subsp. *platyphyllum* (Franchet ex Balfour f. & Smith) Cullen, 162  
var. *crebreflorum* (Hutchinson & Kingdon Ward) Cowan & Davidian, 162  
var. *nmaiense* (Hutchinson & Kingdon Ward) Cowan & Davidian, 162  
var. *platyphyllum* [Franchet ex] Diels, 162  
*ceraceum* Balfour f. & W. W. Smith, 299  
*cerasiflorum* Kingdon Ward, 146  
*cerasinum* Tagg, 418  
*cerinum* Balfour f. & Forrest, 135  
*cerochitum* Balfour f. & Forrest, 301  
*chaetomallum* Balfour f. & Forrest, 391  
var. *chamaephytum* Cowan, 408  
var. *glaucescens* Tagg & Forrest, 391  
var. *hemigynum* Tagg & Forrest, 389  
*chalarocladum* Balfour f. & Forrest, 278  
*chamaethomsonii* (Tagg & Forrest) Cowan & Davidian, 406  
var. *chamaedoron* (Tagg & Forrest) Chamberlain, 406  
var. *chamaethauma* (Tagg) Cowan & Davidian, 407  
var. *chamaethomsonii*, 406  
*chamaetortum* Balfour f. & Kingdon Ward, 162  
*chamaezelum* Balfour f. & Forrest, 100

*Rhododendron* Linnaeus—continued

- chameunum* Balfour f. & Forrest, 117  
*chapaense* Dop, 35  
*chapmannii* Gray, 92  
*charianthum* Hutchinson, 66  
*charidotes* Balfour f. & Farrer, 119  
*charitopes* Balfour f. & Farrer, 141  
  subsp. *charitopes*, 141  
  subsp. *tsangpoense* (Kingdon Ward)  
    Cullen, 143  
*charitostreptum* Balfour f. & Kingdon  
  Ward, 144  
*charopoeum* Balfour f. & Forrest, 145  
*chartophyllum* Franchet, 67  
  f. *praecox* Diels, 67  
*chasmanthoides* Balfour f. & Forrest,  
  73  
*chasmanthum* Diels, 73  
*chawchiense* Balfour f. & Farrer, 303  
*cheilanthum* Balfour f. & Forrest, 95  
*chengianum* Fang, 235  
*chiengshienanum* Fang, 78  
*chienenanum* Fang, 319  
*chihsinianum* Chun & Fang, 241  
*chionanthum* Tagg & Forrest, 390  
*chionophyllum* Diels, 325  
*chlanidotum* Balfour f. & Forrest, 392  
*chloranthum* Balfour f. & Forrest,  
  155  
*chlorops* Cowan, 430  
*chrysanthum* Pallas, 313  
  var. *nikamontanum* Komatsu, 313  
*chryseum* Balfour f. & Forrest, 109  
*chrysdoron* [Tagg ex] Hutchinson,  
  135  
*chrysoplepis* Hutchinson & Kingdon  
  Ward, 170  
*chunienii* Chun & Fang, 40  
*ciliatum* Hooker, 41  
*ciliicalyx* Franchet, 51  
*ciliicalyx* aggregate, 50  
*ciliipes* Hutchinson, 48  
*cinereum* Balfour f. & Forrest, 95  
*cinnabarinum* Hooker, 123  
  subsp. *cinnabarinum*, 124  
  subsp. *tamaense* (Davidian) Cullen,  
    124  
  subsp. *xanthocodon* (Hutchinson) Cullen,  
    124  
  var. *blandfordiiflorum* (Hooker) Hort, 124  
  var. *pallidum* Hooker, 124  
  var. *purpurellum* Cowan, 124  
  var. *roylei* (Hooker) Hort, 124  
*cinnamomeum* [Wallich ex] G. Don, 330  
*circinnatum* Cowan & Kingdon Ward, 370  
*citriniflorum* Balfour f. & Forrest, 392  
  subsp. *aureolum* Cowan, 392  
  var. *citriniflorum*, 392  
  var. *horeaum* (Balfour f. & Forrest)  
    Chamberlain, 392  
*citriniflorum* × *temenium*, 393

- clementinae* Forrest, 358  
*clivicolum* Balfour f. & Smith, 165  
*cloiophorum* Balfour f. & Forrest, 398  
  subsp. *asmenistum* (Balfour f. & Forrest)  
    Tagg, 399  
*coccinopeplum* Balfour & Forrest, 346  
*codonanthum* Balfour f. & Forrest, 337  
*colalicum* Balfour f. & Farrer, 389  
*coeloneuron* Diels, 361  
*collettianum* Aitchison & Hemsley, 158  
*colletum* Balfour f. & Forrest, 365  
*comisteum* Balfour f. & Forrest, 346  
*commodum* Balfour f. & Forrest, 135  
*compactum* Hutchinson, 102  
*complexum* Balfour f. & Smith, 99  
*concatenans* Hutchinson, 124  
*concinnoides* Hutchinson & Kingdon Ward,  
  61  
*concinnum* Hemsley, 75  
  var. *benthamianum* (Hemsley) Davidian,  
    75  
  var. *pseudoyanthinum* (Hutchinson)  
    Davidian, 75  
*confertissimum* Nakai, 107  
*cookeanum* Davidian, 271  
*coombense* Hemsley, 75  
*cooperi* Balfour f., 139  
*cordatum* Lévêillé, 266  
*coriaceum* Franchet, 258  
*corruscum* Ridley, 294  
*coryanum* Tagg & Forrest, 324  
*coryphaeum* Balfour f. & Forrest, 247  
*cosmetum* Balfour f. & Forrest, 119  
*costulatum* Franchet, 34  
*cowanianum* Davidian, 150  
*coxianum* Davidian, 57  
*crassum* Franchet, 34  
*crebreflorum* Hutchinson & Kingdon Ward,  
  162  
*cremastum* Balfour f. & Forrest, 145  
*cremnastes* Balfour f. & Farrer, 149  
*cremnophilum* Balfour f. & Smith, 165  
*crenulatum* [Hutchinson ex] Sleumer, 43  
*crinigerum* Franchet, 288  
  var. *crinigerum*, 288  
  var. *euadenium* Tagg & Forrest, 288  
*croceum* Balfour f. & W. W. Smith, 265  
*cruentum* Lévêillé, 338  
*cubittii* Hutchinson, 55  
*cucullatum* Handel-Mazzetti, 345  
*cuffeanum* Hutchinson [Craibex], 46  
*cuneatum* Smith, 95  
*cupressens* Nitzelius, 351  
*curvistylum* Kingdon Ward, 143  
*cuthbertii* Small, 92  
*cyanocarpum* (Franchet) W. W. Smith, 423  
  var. *eriphyllum* [Balfour f. & W. W. Smith  
    ex] Tagg, 423  
*cyclusium* Balfour f. & Forrest, 263  
*cymbomorphum* Balfour f. & Forrest, 281  
*dabanshanense* Fang & Wang, 360



*Rhododendron* Linnaeus—continued

- dalhousiae* Hooker, 37  
var. *dalhousiae*, 37  
var. *rhabdotum* (Balfour f. & Cooper)  
Cullen, 37  
*damascenum* Balfour f. & Forrest, 146  
*daphniflorum* Diels, 161  
*dasycladoides* Handel-Mazetti, 277  
*dasycladum* Balfour f. & W. W. Smith, 279  
*dasytetalum* Balfour f. & Forrest, 100  
*dauricum* Linnaeus, 112  
var. *mucronulatum* (Turczaninow)  
Maximowicz, 113  
*dauidii* Franchet, 228  
*dauidsonianum* Rehder & Wilson, 66  
*decorum* Franchet, 230  
*deflexum* Griffith, 77  
*degronianum* Carrière, 310  
var. *yakushmanum* (Nakai) Kitamura,  
311  
*dekatanum* Cowan, 136  
*delavayi*, 331  
*deleense* Hutchinson & Kingdon Ward, 128  
*dendricola* Hutchinson, 48  
*dendritrichum* Balfour f. & Forrest, 368  
*dendrocharis* Franchet, 58  
*denudatum* Lévillé, 321  
*depile* Balfour f. & Forrest, 71  
*desquamatum* Balfour f. & Forrest, 90  
*detersile* Franchet, 337  
× *detonsum* Balfour f. & Forrest, 341  
*diacritum* Balfour f. & Smith, 104  
*diaprepes* Balfour f. & W. W. Smith, 233  
*dichroanthum* Diels, 393  
subsp. *apodectum* (Balfour f. & W. W.  
Smith) Cowan, 394  
subsp. *dichroanthum*, 394  
subsp. *herpesticum* (Balfour f. & Kingdon  
Ward) Cowan, 394  
subsp. *scyphocalyx* (Balfour f. & Forrest)  
Cowan, 394  
subsp. *septentrionale* Cowan, 394  
*dichrocephalum* Balfour f. & Forrest, 352  
*dictyotum* [Balfour f. ex] Tagg, 354  
*didymum* Balfour f. & Forrest, 399  
*dielsianum* Handel-Mazetti, 85  
*dignabile* Cowan, 365  
*dimidiatum* Balfour f., 430  
*dimitrium* Balfour f. & Forrest, 428  
*diphrocalyx* Balfour f., 287  
*discolor* Franchet, 234  
*dolerum* Balfour f. & Forrest, 279  
*doshongense* Tagg, 357  
*drumonium* Balfour f. & Smith, 104  
*dryophyllum* Balfour f. & Forrest, 351  
*dryophyllum* sensu Cowan & Davidian, 353  
*dubium* King & Gamble, 294  
*duclouxii* Lévillé, 85  
*dumicola* Tagg & Forrest, 338  
*dumulosum* Balfour f. & Forrest, 352  
*duseimatum* Balfour f. & Forrest, 276  
*eclecteum* Balfour f. & Forrest, 425  
var. *bellatulum* [Balfour f. ex] Tagg, 425  
var. *brachyandrium* (Balfour f. & Forrest)  
Cowan & Davidian, 425  
var. *eclecteum*, 425  
*edgeworthii* Hooker, 26  
*elaegnoides* Hooker, 149  
*elegantulum* Tagg & Forrest, 339  
*elliottii* Watt, 379  
*emaculatum* Balfour f. & Forrest, 365  
*epapillatum* Balfour f. & Cooper, 304  
*epipastum* Balfour f. & Forrest, 403  
*erastum* Balfour f. & Forrest, 405  
*eriandrum* [Lévillé ex] Hutchinson, 69  
*erileucum* Balfour f. & Forrest, 63  
*eriogynum* Balfour f. & W. W. Smith, 377  
*eritimum* Balfour f. & W. W. Smith, 303  
*erosum* Cowan, 382  
*erubescens* Hutchinson, 240  
*erythrocalyx* Balfour f. & Forrest  
subsp. *docimum* [Balfour f. ex] Tagg, 281  
× *erythrocalyx* Balfour f. & Forrest, 280  
*esetulosum* Balfour f., 281  
*euanthum* Balfour f. & W. W. Smith, 230  
*eucallum* Balfour f. & Forrest, 281  
*euchaites* Balfour f. & Forrest, 409  
*euchroum* Balfour f. & Kingdon-Ward, 413  
*eudoxum* Balfour f. & Forrest, 401  
subsp. *asteium* (Balfour f. & Forrest)  
Tagg, 403  
subsp. *brunneifolium* (Balfour f. &  
Forrest) Tagg, 403  
subsp. *epipastum* (Balfour f. & Forrest)  
Tagg, 403  
subsp. *glaphyrum* (Balfour f. & Forrest)  
Tagg, 405  
subsp. *mesopolium* (Balfour f. & Forrest)  
Tagg, 403  
subsp. *pothinum* (Balfour f. & Forrest)  
Tagg, 404  
subsp. *temenium* (Balfour f. & Forrest)  
Tagg, 404  
subsp. *trichomiscum* (Balfour f. &  
Forrest) Tagg, 401  
var. *brunneifolium* (Balfour f. & Forrest)  
Chamberlain, 403  
var. *eudoxum*, 401  
var. *mesopolium* Balfour f. & Forrest, 403  
*euryisiphon* Tagg & Forrest, 426  
*exasperatum* Tagg, 382  
*excellens* Hemsley & Wilson, 36  
*excelsum* Chevalier, 300  
*eximium* Nuttall, 260  
*exquisetum* Hutchinson, 71  
*exquisitum* T. L. Ming, 272  
*faberi* Hemsley, 359  
subsp. *faberi*, 359  
subsp. *pratitii* (Franchet) Chamberlain,  
359  
*faberioides* Balfour f., 359  
*facetum* Balfour f. & Kingdon Ward, 377

*Rhododendron* Linnaeus—continued

- faithae* Chun, 233  
*falconeri* Hooker f., 259  
  subsp. *eximium* (Nuttall) Chamberlain, 260  
  subsp. *falconeri*, 260  
*fargesii* Franchet, 240  
*farinosum* Léveillé, 321  
*fastigiatum* Franchet, 100  
*faucium* Chamberlain, 421  
*fauriei* Franchet, 307  
  var. *rufescens* Nakai, 307  
*ferrugineum* Linnaeus, 110  
  subsp. *kotschyi* (Simonkai) Hayek, 111  
*fictolacteum* Balfour f., 255  
*fimbriatum* Hutchinson, 97  
*fissotectum* Balfour f. & Forrest, 356  
*fittiman* Balfour f., 113  
*flavantherum* Hutchinson & Kingdon Ward, 60  
*flavidum* Franchet, 101  
  var. *flavidum*, 101  
  var. *psilostylum* Rehder & Wilson, 101  
*flavorum* Balfour f. & Forrest, 357  
*fletcherianum* Davidian, 42  
*fleurii* Dop, 54  
*finckii* Davidian, 369  
*focigerum* Franchet, 410  
  subsp. *appropinquans* (Tagg & Forrest) Chamberlain, 410  
  var. *appropinquans* Tagg & Forrest, 410  
*floribundum* Franchet, 320  
*fokiense* Franchet, 320  
*fordii* Hemsley, 320  
*formosanum* Hemsley, 324  
*formosum* Wallich, 46  
  var. *formosum*, 46  
  var. *inaequale* (Hutchinson) Cullen, 46  
  var. *johnstoneanum* Brandis, 47  
  var. *salicifolium* C. B. Clarke, 46  
  var. *veitchianum* (Hooker) Kurz, 55  
*forrestii* [Balfour f. ex] Diels, 407  
  subsp. *forrestii*, 407  
  subsp. *papillatum* Chamberlain, 408  
  var. *repens* (Balfour f. & Forrest) Cowan & Davidian, 407  
*forrestii* × *haematodes*, 408  
*fortunei* Lindley, 234  
  subsp. *discolor* (Franchet) Chamberlain, 234  
  subsp. *fortunei*, 234  
*foveolatum* Rehder & Wilson, 258  
*fragariflorum* Kingdon Ward, 119  
*fragrans* (Adams) Maximowicz, 167  
*fragrans* sensu Franchet, 168  
*franchetianum* Léveillé, 231  
*fuchsiflorum* Léveillé, 85  
*fulgens* Hooker f., 415  
*fulvastrum* Balfour f. & Forrest  
  subsp. *epipastum* (Balfour f. & Forrest) Cowan, 403  
  subsp. *mesopolium* (Balfour f. & Forrest) Cowan, 403  
  subsp. *trichomiscum* (Balfour f. & Forrest) Cowan, 402  
  subsp. *trichophlebium* (Balfour f. & Forrest) Cowan, 402  
*fulvoides* Balfour f. & Forrest, 366  
*fulvum* Balfour f. & W. W. Smith, 366  
*fumidum* Balfour f. & Smith, 89  
*galactinum* [Balfour f. ex] Tagg, 257  
*gemmiferum* Philipson & Philipson, 80  
*genestierianum* Forrest, 148  
  × *geraldii* (Hutchinson) Ivens, 227  
*gibsonii* Paxton, 46  
*giganteum* [Forrest ex] Tagg, 250  
  var. *seminudum* Tagg & Forrest, 250  
*giraudissii* Léveillé, 231  
*glanduliferum* Franchet, 229  
*glaphyrum* Balfour f. & Forrest, 405  
*glauc-aureum* Balfour f. & Forrest, 145  
*glaucopetrum* Balfour f. & Forrest, 356  
*glaucophyllum* Rehder, 140  
  var. *glaucophyllum*, 140  
  var. *luteiflorum* Davidian, 141  
  var. *tubiforme* Cowan & Davidian, 141  
*glaucum* Hooker non Sweet, 140  
*glischroides* Tagg & Forrest, 286  
*glischrium* Balfour f. & W. W. Smith, 284  
  subsp. *glischroides* (Tagg & Forrest) Chamberlain, 286  
  subsp. *glischrium*, 286  
  subsp. *rude* (Tagg & Forrest) Chamberlain, 286  
  var. *adenosum* Cowan & Davidian, 284  
*globigerum* Balfour f. & Forrest, 350  
*gloeoblastum* Balfour f. & Forrest, 266  
*glomerulatum* Hutchinson, 99  
*gracilipes* Franchet, 325  
*grande* Wight, 244  
*gratum* T. L. Ming, 253  
*griersonianum* Balfour f. & Forrest, 374  
*griffithianum* Wight, 237  
  var. *aucklandii* (Hooker f.) Hooker f., 237  
*gymnanthum* Diels, 299  
*gymnocarpum* [Balfour f. ex] Tagg, 396  
*gymnogynum* Balfour f. & Forrest, 303  
*gymnomiscum* Balfour & Kingdon Ward, 165  
*habrotrichum* Balfour f. & W. W. Smith, 287  
*haemaleum* Balfour f. & Forrest, 397  
*haematocheitum* Craib, 238  
*haematodes* Franchet, 390  
  subsp. *chaetomallum* (Balfour f. & Forrest) Chamberlain, 391  
  subsp. *haematodes*, 390  
  var. *calycinatum* Franchet, 390  
  var. *hypoleucum* Franchet, 390  
*haemonium* Balfour f. & Cooper, 159  
*hanceanum* Hemsley, 128  
*haofui* Chun & Fang, 320  
*hardingii* Tagg, 294

*Rhododendron* Linnaeus—continued

- hardyi* Davidian, 74  
*harrovianum* Hemsley, 77  
*headfortianum* Hutchinson, 38  
*hedyosmum* Balfour f., 169  
*hedythamnium* Balfour f. & Forrest, 263  
var. *eglandulosum* Handel-Mazzetti, 263, 423  
*heishuense* Fang, 66  
*heliopsis* Franchet, 89  
var. *brevistylum* (Franchet) Cullen, 90  
var. *heliopsis*, 89  
*helvolum* Balfour f. & Forrest, 353  
*hemidartum* [Balfour f. ex] Tagg, 387  
× *hemigynum* (Tagg & Forrest)  
Chamberlain, 388  
*hemitrichotum* Balfour f. & Forrest, 83  
*hemsleyanum* Wilson, 235  
*heptamerum* Balfour f., 303  
*herpesticum* Balfour f. & Kingdon Ward, 394  
*hesperium* Balfour f. & Forrest,  
*hexamerum* Handel-Mazzetti, 230  
× *hillieri* Davidian, 393  
*himertum* Balfour f. & Forrest, 398  
subsp. *poliopeplum* (Balfour f. & Forrest)  
Tagg, 398  
*hippophaeoides* Balfour f. & Smith, 96  
var. *hippophaeoides*, 97  
var. *occidentale* Philipson & Philipson, 97  
*hirsuticostatum* Handel-Mazzetti, 73  
*hirsutum* Linnaeus, 111  
*hirtipes* Tagg, 283  
*hodgsonii* Hooker f., 259  
*hookeri* Nuttall, 422  
*horaeum* Balfour f. & Forrest, 392  
*horlickianum* Davidian, 54  
*hormophorum* Balfour f. & Forrest, 68  
*hormophorum* Hort., 68  
*houlstonii* Hemsley & Wilson, 234  
*huianum* Fang, 228  
*huidongense* T. L. Ming, 377  
*hunnewellianum* Rehder & Wilson, 322  
subsp. *hunnewellianum*, 323  
subsp. *rockii* (Wilson) Chamberlain, 323  
*hutchinsonianum* Fang, 76  
*hylaenum* Balfour f. & Farrer, 421  
*hylothreptum* Balfour f. & W. W. Smith, 303  
*hymenanthes* Makino, 309  
*hypenanthum* Balfour f., 160  
*hyperythrum* Hayata, 306  
*hypoglaucom* Hemsley, 325  
*hypolepidotum* [Franchet] Balfour f., 144  
*hypophaeum* Balfour f. & Forrest, 66  
*hypopitys* Pojarkova, 313  
*hypotrichum* Balfour f. & Forrest, 71  
*idoneum* Balfour f. & Smith, 104  
*igneum* Cowan, 126  
*imberbe* Hutchinson, 430  
*impeditum* Balfour f. & Forrest, 102  
*imperator* Kingdon Ward, 122  
*inaequale* Hutchinson, 46  
*inaequale* × *intermedium* Tausch, 111  
*inopinum* Balfour f., 431  
*insigne* Hemsley & Wilson, 327  
*intortum* Balfour f. & Forrest, 353  
*intricatum* Franchet, 96  
*invictum* Balfour f. & Farrer, 88  
*ioanthum* Balfour f., 67  
*iochanense* Léveillé, 83  
*iodes* Balfour f. & Forrest, 350  
*irroratum* Franchet, 296  
subsp. *irroratum*, 296  
subsp. *kontumense* (Sleumer)  
Chamberlain, 298  
subsp. *pogonostylum* (Balfour f. & W. W. Smith) Chamberlain, 297  
*iteaphyllum* Hutchinson, 46  
*ixenticum* Balfour f. & W. W. Smith, 288  
*jahandiezii* Léveillé, 67  
*jantzowense* Balfour f. & Forrest, 394  
*japonicum* (Blume) Schneider, 308  
var. *japonicum*, 309  
var. *pentamerum* (Maximovicz)  
Hutchinson, 310  
*jenkinsii* Nuttall, 33  
*johnstoneanum* Hutchinson, 47  
*johnstoneanum* aggregate, 46  
*jucundum* Balfour f. & W. W. Smith, 280  
*kansuense* Millais, 431  
*kasoense* Hutchinson & Kingdon Ward, 60  
*keiskei* Miquel, 78  
*keleticum* Balfour f. & Forrest, 116  
*kendrickii* Nuttall, 302  
*keysii* Nuttall, 126  
var. *unicolor* Hutchinson, 126  
*kiangsiense* Fang, 40  
*kialense* Franchet, 360  
*kingdonii* Merrill, 116  
*kirikii* Millais, 234  
*kongboense* Hutchinson, 163  
*kontumense* Sleumer, 298  
*korthalsii* Miquel, 296  
*kotschyi* Simonkai, 111  
*kuluense* Chamberlain, 284  
*kwangfuense* Chun & Fang, 234  
*kyawi* Lace & W. W. Smith, 376  
*lacteum* Franchet, 362  
var. *macrophyllum* Franchet, 255  
*laetevirens* [Balfour f. ex] Hutchinson, 75  
*lampropelum* Balfour f. & Forrest, 346  
*lanatoides* Chamberlain, 370, 478  
*lanatum* Hooker f., 369  
var. *luciferum* Cowan, 369  
*lancifolium* Hooker f., 380  
*lancifolium* Moench, 313  
*langbianense* [Chevalier ex] Dop, 298  
*lanigerum* Tagg, 332  
*lapidosum* T. L. Ming, 298  
*lapponicum* (Linnaeus) Wahlenberg, 107  
*lasiopodum* Hutchinson, 51  
*laticostum* Ingram, 78

*Rhododendron* Linnaeus—continued

- latifolium* Hoffmannsegg, 316  
*laudandum* Cowan, 160  
var. *laudandum*, 160  
var. *temoense* Cowan & Davidian, 160  
*laxiflorum* Balfour f. & Forrest, 293  
*lecterei* Léveillé, 90  
*ledebourii* Pojarkova, 112  
*leoides* Balfour f. & Smith, 168  
*leei* Fang, 359  
*leilungense* Balfour f. & Forrest, 66  
*leishanicum* Fang & S. S. Chang, 261  
*lemeei* Léveillé, 79  
*lepidanthum* Balfour f. & Smith, 165  
*lepidostylum* Balfour f. & Forrest, 152  
*lepidotum* [Wallich ex] G. Don, 149  
*leprosum* Balfour f., 90  
*leptocarpum* Nuttall, 170  
*leptocladon* Dop, 53  
*leptopeplum* Balfour f. & Forrest, 302  
*leucandrum* Léveillé, 67  
*leucaspis* Tagg, 138  
*leucolasiatum* Diels, 323  
*leucopetalum* Balfour f. & Forrest, 399  
*levinei* Merrill, 40  
*levistratum* Balfour f. & Forrest, 352  
*liliiflorum* Léveillé, 38  
*lindleyi* Moore, 37  
*liratum* Balfour f. & Forrest, 394  
*litangense* [Balfour f. ex] Hutchinson, 102  
*lithophilum* Balfour f. & Kingdon Ward, 153  
*lithophilum* × *lochmium* Balfour f., 80  
*litiense* Balfour f. & Forrest, 266  
*longesquamatum* Schneider, 268  
*longiflorum* Nuttall, 244  
*longipes* Rehder & Wilson, 319  
var. *chienianum* (Fang) Chamberlain, 319  
var. *longipes*, 319  
*longistylum* Rehder & Wilson, 129  
*lophophorum* Balfour f. & Forrest, 352  
*lophotogynum* Balfour f. & Forrest, 153  
*lopsangianum* Cowan, 420  
*lowndesii* Davidian, 149  
*lucidum* Franchet, 230  
*lucidum* Nuttall, 139  
*luciferum* (Cowan) Cowan, 369  
*ludlowii* Cowan, 122  
*ludwigianum* Hossesus, 57  
*lukiangense* Franchet, 299  
*luteiflorum* [Davidian] Cullen, 141  
*lutescens* Franchet, 79  
*lyi* Léveillé, 53  
*macabeum* [Watt ex] Balfour f., 251  
*macranthum* Griffith, 33  
*macrocarpos* Griffith, 170  
*macrophyllum* [D. Don ex] G. Don, 317  
*maculiferum* Franchet, 272  
subsp. *anhweiense* (Wilson) Chamberlain, 272  
subsp. *maculiferum*, 272  
*maddenii* Hooker, 33  
subsp. *crassum* [Franchet] Cullen, 34  
subsp. *maddenii*, 33  
var. *longiflora* Watson, 33  
var. *obtusifolia* Hutchinson, 55  
*magnificum* Kingdon Ward, 250  
*magorianum* Balfour f., 431  
*mairi* Léveillé, 362  
*makinoi* Tagg, 311  
*mallotum* Balfour f. & Kingdon Ward, 386  
*mandarinorum* Diels, 234  
*manipurense* Balfour f. & Watt, 35  
*mannophorum* Balfour f. & Forrest, 399  
*manopeplum* Balfour f. & Forrest, 281  
*martinianum* Balfour f. & Forrest, 281  
*maximowiczianum* Léveillé, 431  
*maximum* L., 316  
var. *album* Pursh, 316  
var. *purpureum* Pursh, 316  
*meddianum* Forrest, 423  
var. *atrokermesinum* Tagg, 423  
var. *meddianum*, 423  
*megacalyx* Balfour f. & Kingdon ward, 40  
*megaphyllum* Balfour f. & Forrest, 253  
*megetatum* Balfour f. & Forrest, 136  
*mekongense* Franchet, 154  
var. *longipilosum* (Cowan) Cullen, 155  
var. *mekongense*, 154  
var. *melinathum* [Balfour f. & Kingdon Ward] Cullen, 155  
var. *rubrolineatum* [Balfour f. & Forrest] Cullen, 155  
*melinathum* Balfour f. & Kingdon Ward, 155  
*mengtszense* Balfour f. & W. W. Smith, 292  
*mesopolium* Balfour f. & Forrest, 403  
*metrium* Forrest, 278  
*metternichii* Siebold & Zuccarini, 309  
subsp. *pentamerum* (Maximovicz) Sugimoto, 310  
subsp. *yakushmanum* (Nakai) Sugimoto, 311  
var. *heptamerum* Maximovicz, 309  
var. *hondoense* Nakai, 309  
var. *intermedium* Sugimoto, 311  
var. *kyomaruense* Yamazaki, 310  
var. *micranthum* Nakai, 309  
var. *pentamerum* Maximovicz, 310  
f. *angustifolium* Makino, 311  
var. *yakushmanum* (Nakai) Ohwi, 311  
*micranthum* Turczaninow, 132  
*microgynum* Balfour f. & Forrest, 395  
*microleucum* Hutchinson, 103  
*micromeres* Tagg, 134  
*mimetes* Tagg & Forrest, 341  
var. *simulans* Tagg & Forrest, 343  
*miniaturum* Cowan, 415  
*minus* Michaux, 91  
var. *chapmanii* (Gray) Duncan & Pullen, 92  
var. *minus*, 92  
*minyaense* Philipson & Philipson, 103  
*mirabile* Kingdon Ward, 148

*Rhododendron* Linnaeus—continued

- mishmiense* Hutchinson & Kingdon Ward, 134  
*missionarum* Léveillé, 51  
*mollicomum* Balfour f. & Smith, 84  
var. *rockii* Tagg, 84  
*mollyanum* Cowan & Davidian, 246  
*mombeigii* Rehder & Wilson, 368  
*monanthum* Balfour f. & Smith, 60  
*monosematum* Hutchinson, 270  
*montroseanum* Davidian, 246  
*morii* Hayata, 273  
*morseadianum* Millais, 431  
*motsouense* Léveillé, 83  
*moupinense* Franchet, 58  
*muconulatum* Turczaninow, 113  
var. *acuminatum* Hort., 113  
var. *albiflorum* Nakai, 113  
var. *ciliatum* Nakai, 113  
*muliense* Balfour f. & Forrest, 109  
*mussoii* Franchet, 265  
*myiagrum* Balfour f. & Forrest, 263  
*myrtifolium* Schott & Kotschy, 111  
*myrtilloides* Balfour & Kingdon Ward, 146  
*nakaii* Komatsu, 310  
*nakotilum* Balfour f. & Forrest, 363  
*nankotaisanense* Hayata, 274  
*nanothammum* Balfour f. & Forrest, 278  
*nanum* Léveillé, 100  
*nebrities* Balfour f. & Forrest, 398  
*neriiflorum* Franchet, 408  
subsp. *agetum* (Balfour f. & Forrest) Tagg, 409  
subsp. *euchaites* (Balfour f. & Forrest) Tagg, 409  
subsp. *neriiflorum*, 409  
subsp. *phaedropum* (Balfour f. & Farrer) Tagg, 409  
subsp. *phoenicodum* (Balfour f. & Farrer) Tagg, 409  
*nhatragense* Dop, 428  
*nigroglandulosum* Nitzelius, 340  
*nigropunctatum* Franchet, 100  
× *nikomontanum* (Komatsu) Nakai, 313  
*nilagiricum* Zenker, 331  
*ninguenense* Handel-Mazzetti, 296  
*ninguenense* sensu Sleumer, 298  
*niphargum* Balfour f. & Kingdon Ward, 368  
*niphobium* Balfour f. & Farrer, 426  
*nishiokae* Hara, 382  
*nitens* Hutchinson, 116  
*nitidulum* Rehder & Wilson, 98  
var. *nitidulum*, 98  
var. *nubigenum* Rehder & Wilson, 98  
var. *omeiense* Philipson & Philipson, 98  
*nivale* Hooker, 105  
subsp. *australe* Philipson & Philipson, 106  
subsp. *boreale* Philipson & Philipson, 106  
subsp. *nivale*, 105  
*niveum* Hooker f., 332  
*nmaiense* Hutchinson & Kingdon Ward, 162  
*nobile* Wallich, 373, 380  
*notatum* Hutchinson, 48  
*nuttallii* Booth, 36  
*oblongum* Griffith, 237  
*obovatum* Hooker, 149  
*obscurum* [Franchet ex] Balfour f., 67  
*ochraceum* Rehder & Wilson, 269  
*odoriferum* Hutchinson, 35  
*officinale* Salisbury, 313  
*oleifolium* Franchet, 130  
*ombrachares* Balfour f. & Kingdon Ward, 301  
*openshawianum* Rehder & Wilson, 229  
*oporinum* Balfour f. & Kingdon Ward, 89  
*orbiculare* Decaisne, 237  
subsp. *cardiobasis* (Sleumer) Chamberlain, 238  
subsp. *orbiculare*, 237  
*oreinum* Balfour f., 106  
*oreodoxa* Franchet, 238  
var. *fargesii* (Franchet) Chamberlain, 238  
var. *oreodoxa*, 238  
var. *shensiense* Chamberlain, 240, 478  
*oreotrepes* Smith, 69  
*oresbium* Balfour f. & Kingdon ward, 106  
*oresterum* Balfour f. & Forrest, 266  
*orthocladum* Balfour f. & Forrest, 103  
var. *longistylum* Philipson & Philipson, 103  
var. *microleucum* (Hutchison) Philipson & Philipson, 103  
var. *orthocladum*, 103  
*osmerum* Balfour f. & Forrest, 108  
*oulotrichum* Balfour f. & Forrest, 153  
*pachypodium* Balfour f. & Smith, 53  
*pachysanthum* Hayata, 274  
*pachytrichum* Franchet, 270  
*pagophyllum* Balfour f. & Kingdon Ward, 278  
× *pallescens* Hutchinson, 80  
*paludosum* Hutchinson & Kingdon Ward, 105  
*palustre* Turczaninow, 107  
*pankimense* Cowan & Kingdon Ward, 302  
*panteumorphum* Balfour f. & W. W. Smith, 281  
*papillatum* Balfour f. & Cooper, 304  
*paradoxum* Balfour f., 431  
*parishii* C. B. Clarke, 375  
*parmulatum* Cowan, 400  
*parryae* Hutchinson, 57  
*parviflorum* Dumont de Courset, 313  
*parviflorum* Schmidt, 107  
*parvifolium* Adams, 107  
*patulum* Kingdon Ward, 121  
*pemakoense* Kingdon-Ward, 121  
*pendulum* Hooker, 27  
*pennivenium* Balfour f. & Forrest, 301  
*pentamerum* (Maximovicz) Matsumura, 310  
*peramabile* Hutchinson, 96  
*peramoenum* Balfour f. & Forrest, 331  
*peregrinum* Tagg, 431

*Rhododendron* Linnaeus—continued

- persicinum* Handel-Mazzetti, 303  
*perulatum* Balfour f. & Forrest, 395  
*petelotii* Dop, 301  
*petrocharis* Diels, 59  
*phaeclorum* Balfour f. & Forrest, 71  
*phaedropum* (Balfour f. & Farrer) Tagg, 410  
*phaeochrysum* Balfour f. & W. W. Smith, 350  
    var. *agglutinatum* (Balfour f. & Forrest) Chamberlain, 352  
    var. *levistratum* (Balfour f. & Forrest) Chamberlain, 352  
    var. *phaeochrysum* 351  
*phoenicodum* Balfour f. & Farrer, 409  
*pholidotum* Balfour f. & Smith, 90  
*piercei* Davidian, 387  
*picicalyx* Hutchinson, 53  
*pilovittatum* Balfour f. & W. W. Smith, 331  
*pingianum* Fang, 326  
*planetum* Balfour f., 432  
*platypodum* Diels, 236  
*plebeium* Balfour f. & Smith, 89  
*pleistanthum* Wilding, 68  
*pocophorum* [Balfour f. ex] Tagg, 387  
    var. *hemidartum* (Tagg) Chamberlain, 387  
    var. *pocophorum*, 387  
*poecilodermum* Balfour f. & Forrest, 344  
*pogonophyllum* Cowan & Davidian, 161  
*pogonostylum* Balfour f. & W. W. Smith, 298  
*polifolium* Franchet, 97  
*poliopeplum* Balfour f. & Forrest, 398  
*polyandrum* Hutchinson, 33  
*polycladum* Franchet, 102  
*polylepis* Franchet, 76  
*pomense* Cowan & Davidian, 363  
*poncticum* L., 313  
    subsp. *baeticum* (Boissier & Reuter) Handel-Mazzetti, 315  
    var. *brachycarpum* Boissier, 315  
*populare* Cowan, 419  
*porphyroblastum* Balfour f. & Forrest, 346  
*porphyrophyllum* Balfour f. & Forrest, 405  
*porrosquamum* Balfour f. & Forrest, 90  
*potaninii* Batalin, 428  
*pothinum* Balfour f. & Forrest, 404  
*praestans* Balfour f. & W. W. Smith, 247  
*praeteritum* Hutchinson, 240  
*praevernium* Hutchinson, 227  
*prasinocalyx* Balfour f. & Forrest, 266  
*pratitii* Franchet, 359  
*preptum* Balfour f. & Forrest, 257  
*primuliflorum* Bureau & Franchet, 165  
    var. *cephalanthoides* (Balfour f. & Smith) Cowan & Davidian, 165  
    var. *lepidanthum* (Balfour & Smith) Cowan & Davidian, 165  
*primulinum* Hemsley, 101  
*principis* Bureau & Franchet, 357  
*pritzellianum* Diels, 132  
*probum* Balfour f. & Forrest, 278  
*procerum* Salisbury, 316  
*pronum* Tagg & Forrest, 358  
*prophantum* Balfour f. & Forrest, 377  
*propinquum* Tagg, 109  
*prostratum* Smith, 117  
*proteoides* Balfour f. & W. W. Smith, 346  
*protistum* Balfour f. & Forrest, 248  
    var. *giganteum* (Tagg) Chamberlain, 250  
    var. *protistum*, 250  
*pruniflorum* Hutchinson, 143  
*przewalskii* Maximowicz, 360  
*pseudochrysanthum* Hayata, 273  
*pseudociliicalyx* Hutchinson, 51  
*pseudociliipes* Cullen, 50  
*pseudoyanthinum* Hutchinson, 75  
*psilostylum* (Rehder & Wilson) Balfour f., 101  
*pubescens* Balfour f. & Forrest, 84  
*pubicostatum* T. L. Ming, 337  
*pubigerum* Balfour f. & Forrest, 71  
*pudorosum* Cowan, 247  
*punctatum* Andrews, 92  
    var. 3 Ker, 92  
*pumilum* Hooker, 120  
*puriceum* Roxburgh, 329  
*puralbum* Balfour f. & W. W. Smith, 266  
*purdomii* Rehder & Wilson, 429  
*purpureum* (Pursh) G. Don, 316  
*purshii* G. Don, 316  
*pyncocladum* Balfour f. & Smith, 104  
*pyrrhoanthum* Balfour f., 432  
*racemosum* Franchet, 82  
    var. *rigidum* (Franchet) Rehnelt, 69  
*radendum* Fang, 169  
*radicans* Balfour f. & Forrest, 116  
*radinum* Balfour f. & W. W. Smith, 168  
*ramosissimum* Franchet, 106  
*ramsdensianum* Cowan, 302  
*rarile* Balfour f. & W. W. Smith, 233  
*rarosquamum* Balfour f., 69  
*ravum* Balfour f. & Smith, 95  
*recurvoides* Tagg & Kingdon Ward, 288  
*recurvum* Balfour f. & Forrest, 344  
    var. *oreonastes* Balfour f. & Forrest, 344  
*regale* Balfour f. & Kingdon Ward, 253  
*reginaldii* Balfour f., 238  
*repens* Balfour f. & Forrest, 407  
    var. *chamaedoron* Tagg & Forrest, 406  
    var. *chamaethauma* Tagg, 407  
    var. *chamaethomsonii* Tagg & Forrest, 406  
*rex* Léveillé, 255  
    subsp. *arizelum* (Balfour f. & Forrest) Chamberlain, 256  
    subsp. *fictofacteum* (Balfour f.) Chamberlain, 255  
    subsp. *rex*, 255  
*rhabdotum* Balfour & Cooper, 37  
*rhaibocarpum* Balfour f. & W. W. Smith, 279  
*rhantum* Balfour f. & W. W. Smith, 230  
*rigidum* Franchet, 69

*Rhododendron* Linnaeus—continued

- riparium* Kingdon Ward, 116  
*ritriei* Hemsley & Wilson, 328  
*rivulare* Kingdon Ward, 116  
*rockii* Wilson, 323  
*roseatum* Hutchinson, 51  
*roseotinctum* Balfour f. & Forrest, 399  
*rosthornii* Diels, 132  
*rothschildii* Davidian, 252  
*rotundifolium* David, 237  
*roxianum* Forrest, 344  
    var. *cucullatum* (Handel-Mazzetti) Chamberlain, 345  
    var. *globigerum* (Balfour f. & Forrest) Chamberlain, 350  
    var. *roxianum*, 344  
*roxioides* Chamberlain, 347, 478  
*roylei* Hooker, 124  
*rubiginosum* Franchet, 90  
*rubriflorum* Kingdon Ward, 146  
*rubrolineatum* Balfour f. & Forrest, 155  
*rubropunctatum* Hayata, 306  
*rubro-punctatum* Léveillé & Vant., 67  
*rude* Tagg & Forrest, 286  
*rufescens* Franchet, 161  
*rufosquamosum* Hutchinson, 47  
*rufum* Balalin, 361  
*rupicola* W. W. Smith, 108  
    var. *chryseum* (Balfour f. & Kingdon Ward) Philipson & Philipson, 109  
    var. *muliense* (Balfour & Forrest) Philipson & Philipson, 109  
    var. *rupicola*, 109  
*russatum* Balfour f. & Forrest, 108  
*russotinctum* Balfour f. & Forrest, 350  
*salignum* Hooker, 149  
*saluense* Franchet, 117  
    subsp. *chameunum* (Balfour & Forrest) Cullen, 117  
    subsp. *saluense*, 117  
*sanguineum* Franchet, 396  
    subsp. *aisoides* Cowan, 398  
    subsp. *cloiophorum* (Balfour f. & Forrest) Cowan, 399  
    subsp. *consanguineum* Cowan, 399  
    subsp. *didymoides* (Tagg & Forrest) Cowan, 399  
    subsp. *didymum* (Balfour f. & Forrest) Cowan, 399  
    subsp. *haemaleum* (Balfour f. & Forrest) Cowan, 398  
    subsp. *himertum* (Balfour f. & Forrest) Cowan, 398  
    subsp. *leucopetalum* (Balfour f. & Forrest) Cowan, 399  
    subsp. *mesaeum* [Balfour f. ex] Cowan, 398  
    subsp. *roseotinctum* (Balfour f. & Forrest) Cowan, 399  
    subsp. *sanguineum*, 396  
    var. *cloiophorum* (Balfour f. & Forrest) Chamberlain, 398  
    var. *didymoides* Tagg & Forrest, 399  
    var. *haemaleum* (Balfour f. & Forrest) Chamberlain, 397  
    var. *himertum* (Balfour f. & Forrest) Chamberlain, 398  
    var. *sanguineum*, 397  
    subsp. *sanguinioides* Cowan, 397  
*saravanense* Dop., 53  
*sargentianum* Rehder & Wilson, 162  
*scabrifolium* Franchet, 84  
    var. *pauciflorum* Franchet, 85  
    var. *scabrifolium*, 85  
    var. *spiciferum* (Franchet) Cullen, 85  
*schistocalyx* Balfour f. & Forrest, 379  
*schizopeptum* Balfour f. & Forrest, 356  
*sciaphilum* Balfour f. & Kingdon Ward, 26  
*sclerocladum* Balfour f. & Forrest, 95  
*scintillans* Balfour f. & Smith, 102  
*scopulorum* Hutchinson, 43  
*scottianum* Hutchinson, 53  
*scyphocalyx* Balfour f. & Forrest, 394  
*searsiae* Rehder & Wilson, 76  
*seinghkuense* Kingdon Ward, 27  
*selense* Franchet, 279  
    subsp. *dasycladum* (Balfour f. & W. W. Smith) Chamberlain, 279  
    subsp. *duseimatum* (Balfour f. & Forrest) Tagg, 276  
    subsp. *jucundum* (Balfour f. & W. W. Smith) Chamberlain, 280  
    subsp. *selense*, 278  
    subsp. *setiferum* (Balfour f. & Forrest) Chamberlain, 280  
    var. *duseimatum* (Balfour f. & Forrest) Cowan & Davidian, 276  
    var. *pagophilum* (Balfour f. & Kingdon Ward) Cowan & Davidian, 278  
    var. *probum* (Balfour f. & Forrest) Cowan & Davidian, 278  
*semanteum* Balfour f., 102  
*semilunatum* Balfour f. & Forrest, 155  
*semnoides* Tagg & Forrest, 253  
*semnum* Balfour f. & Forrest, 247  
*serotinum* Hutchinson, 432  
*serpens* Balfour f. & Forrest, 405  
*setiferum* Balfour f. & Forrest, 280  
*setosum* D. Don, 109  
*sheltonii* Hemsley & Wilson, 230  
*shensiense* R. C. Ching, 240  
*shepherdii* Nuttall, 302  
*sherriffii* Cowan, 416  
*shweliense* Balfour f. & Forrest, 143  
*sichotense* Pojarkova, 112  
*sidereum* Balfour f., 246  
*siderophyllum* Franchet, 67  
*sigillatum* Balfour f. & Forrest, 353  
*sikangense* Fang, 271  
*silvaticum* Cowan, 332

*Rhododendron* Linnaeus—continued

- simiarum* Hance, 320  
  subsp. *youngae* (Fang) Chamberlain, 319  
*simularis* (Tagg & Forrest) Chamberlain, 343  
*sinofalconeri* Balfour f., 260  
*sinogranda* Balfour f. & W. W. Smith, 245  
  var. *boreale* Tagg & Forrest, 245  
*sinolepidotum* Balfour f., 149  
*sinonuttallii* Balfour f. & Forrest, 36  
*sinovirgatum* Hort., 130  
*smilesii* Hutchinson, 55  
*smirnowii* Trautvetter, 312  
*smithii* [Nuttall ex] Hooker f., 381  
  × *sochadzeae* Char. & Davlianidze, 315  
*sordidum* Hutchinson, 143  
*souliei* Franchet, 266  
*spanotrichum* Balfour f. & W. W. Smith, 293  
*sparsiflorum* Nuttall, 139  
*speciosum* Salisbury, 313  
*sperabile* Balfour f. & Farrer, 411  
  var. *sperabile*, 411  
  var. *weihsiense* Tagg & Forrest, 412  
*sperabiloides* Tagg & Forrest, 412  
*sphaeranthum* Balfour f. & Smith, 168  
*sphaeroblastum* Balfour f. & Forrest, 343  
*spiciferum* Franchet, 85  
*spilanthum* Hutchinson, 97  
*spilotum* Balfour f. & Farrer, 429  
*spinuliferum* Franchet, 85  
*spodopeplum* Balfour f. & Farrer, 128  
*spooneri* Hemsley & Wilson, 231  
*squarrosom* Balfour f., 90  
*stenophyllum* Makino, 311  
*stenoplastum* Balfour f. & Forrest, 90  
*stereophyllum* Balfour f. & Smith, 66  
*stewartianum* Diels, 426  
  var. *aiotosalpinx* (Balfour f. & Farrer) Cowan & Davidian, 426  
  var. *tantulum* Cowan & Davidian, 426  
*stictophyllum* Balfour f., 106  
*strigillosum* Franchet, 270  
*subansiriense* Chamberlain, 422  
*suberosum* Balfour f. & Forrest, 68  
*succothii* Davidian, 382  
*sulfureum* Franchet, 135  
*sulfureum* sensu Diels, 60  
*supranubium* Hutchinson, 53  
*surasianum* Balfour f. & Craib, 56  
*sutchuenense* Franchet, 226  
  var. *geraldii* Hutchinson, 227  
*synanthum* Balfour f. & W. W. Smith, 69  
*syncollum* Balfour f. & Forrest, 352  
*taggianum* Hutchinson, 38  
*taliense* Franchet, 343  
*tamaense* Davidian, 124  
*tanastylum* Balfour f. & Kingdon Ward, 300  
  var. *pennivenium* (Balfour f. & Forrest) Chamberlain, 301  
  var. *tanastylum*, 301  
*tapeinum* Balfour f. & Farrer, 136  
*tapelouense* Lévêillé, 66  
*tapetiforme* Balfour f. & Kingdon Ward, 99  
*taquetii* Lévêillé, 113  
*taronense* Hutchinson, 48  
*tatsienense* Franchet, 65  
*tawangense* Sahni & Naithani, 410  
*telmateium* Balfour f. & W. W. Smith, 104  
*telepeum* Balfour f. & Forrest, 264  
*tementium* Balfour f. & Forrest, 404  
  subsp. *alpipetalum* Cowan, 402  
  subsp. *chrysanthum* Cowan, 404  
  subsp. *dealbatum* Cowan, 405  
  subsp. *gilvum* Cowan, 404  
  subsp. *glaphyrum* (Balfour f. & Forrest) Cowan, 405  
  subsp. *pothinum* (Balfour f. & Forrest) Cowan, 404  
  subsp. *rhodanthum* Cowan, 402  
  var. *dealbatum* (Cowan) Chamberlain, 405  
  var. *gilvum* (Cowan) Chamberlain, 404  
  var. *temenium*, 404  
*tephropeplum* Balfour f. & Farrer, 128  
*thayerianum* Rehder & Wilson, 323  
*theiochromum* Balfour f. & W. W. Smith, 135  
*theiophyllum* Balfour f. & Forrest, 352  
*thomsonii* Hooker f., 419  
  subsp. *candelabrum* (Hooker f.) Chamberlain, 420  
  subsp. *lopsangianum* (Cowan) Chamberlain, 420  
  subsp. *thomsonii*, 419  
  var. *candelabrum* (Hooker f.) C. B. Clarke, 420  
  var. *cyanoacarpum* Franchet, 423  
  var. *pallidum* Cowan, 420  
*thymifolium* Maximowicz, 97  
*thydocum* Balfour f. & Cooper, 151  
*timeteum* Balfour f. & Forrest, 71  
*torquatum* Balfour f. & Farrer, 394  
*traillianum* Forrest & W. W. Smith, 354  
  × var. *dictyotum* (Tagg) Chamberlain, 354  
  var. *traillianum*, 354  
*trichanthum* Rehder, 74  
*trichocalyx* Ingram, 78  
*trichocladum* Franchet, 153  
  var. *longipilosum* Cowan, 155  
*trichomiscum* Balfour f. & Forrest, 401  
*trichophlebium* Balfour f. & Forrest, 401  
  *trichophorum* Balfour f., 75, 80  
*trichopodum* Balfour f. & Forrest, 71  
*trichostomum* Franchet, 168  
  var. *hedyosmum* (Balfour f.) Cowan & Davidian, 168  
  var. *ledoides* (Balfour f. & Smith) Cowan & Davidian, 168  
  var. *radinum* (Balfour f. & Smith) Cowan & Davidian, 168  
*triflorum* Hooker, 77  
  var. *bauhiniiflorum* (Watt ex Hutchinson) Cullen, 78



*Rhododendron* Linnaeus—continued

- var. *mahogani* Hutchinson, 77
- var. *triflorum*, 77
- trilectorum* Cowan, 401
- triploaevium* Balfour f. & Forrest, 350
- tritifolium* Balfour f. & Forrest, 350
- truncatulum* Balfour f. & Forrest, 281
- tsaii* Fang, 95
- tsangpoense* Kingdon Ward, 143
  - var. *curvistylum* Cowan & Davidian, 143
  - var. *pruniflorum* (Hutchinson) Cowan & Davidian, 143
- tsangpoense* Balfour f. & Forrest, 165
- tsariense* Cowan, 370
- ungernii* Trautvetter, 311
- uniflorum* Kingdon Ward, 121
  - var. *imperator* (Kingdon Ward) Cullen, 122
  - var. *uniflorum*, 122
- uvarifolium* Diels, 368
- valentinianum* Hutchinson, 42
  - var. *changii* Fang, 42
- veitchianum* Hooker, 55
- vellereum* Hutchinson, 358
- venator* Tagg, 290
- venosum* Nuttall, 432
- vernicosum* Franchet, 230
- versicolor* Chun & Fang, 320
- vesiculiferum* Tagg, 286
- vestitum* Tagg & Forrest, 280
- vicarium* Balfour f., 106
- vicinum* Balfour f. & Forrest, 353
- villosum* Hemsley & Wilson, 74
- vilmorinianum* Balfour f., 72
- violaceum*, Rehder & Wilson, 106
- virgatum* Hooker, 130
  - subsp. *deifolium* (Franchet) Cullen, 130
  - subsp. *virgatum*, 130
- viridescens* Hutchinson, 154
- viscidifolium* Davidian, 420
- wallaceanum* Millais, 432
- wallichii* Hooker f., 373
- wallichii* × *arboreum* Smith, 374
- walongense* Kingdon Ward, 48
- wardii* W. W. Smith, 265
  - var. *puralbum* (Balfour f. & W. W. Smith) Chamberlain, 266
  - var. *wardii*, 265
- wasonii* Hemsley & Wilson, 362
- watsonii* Hemsley & Wilson, 251
- wattii* Cowan, 242
- websteranum* Rehder & Wilson, 97
  - var. *websteranum*, 98
  - var. *yulongense* Philipson & Philipson, 98
- weldianum* Rehder & Wilson, 361
- wightii* Hooker f., 365
- williamsianum* Rehder & Wilson, 261
- wiltonii* Hemsley & Wilson, 362
- windsorii* Nuttall, 329
- wongii* Hemsley & Wilson, 80
- wrayi* King & Gamble, 294
  - var. *ellipticum* Ridley, 294
  - var. *minor* Ridley, 294
- wuense* Balfour f., 359
  - × *xanthanthum* Tagg & Forrest, 393
- xanthinum* Balfour f. & Smith, 153
- xanthocodon* Hutchinson, 124
- xanthoneuron* Léveillé, 321
- xanthostephanum* Merrill, 127
- yakushmanum* Nakai, 310
  - subsp. *makinoi* (Tagg) Chamberlain, 311
  - subsp. *yakushmanum*, 311
- yanthinum* Bureau & Franchet, 75
  - var. *lepidanthum* Rehder & Wilson, 75
- yaragongense* Balfour f., 106
- youngae* Gang, 319
- zungchangense* Cullen, 53
- zungningense* Balfour f., 99
- yunnanense* Franchet, 67
- yunnanense* aggregate, 65
- zaleucum* Balfour f. & Smith, 63
- zeylanicum* Booth, 332